



# COIL CROSS-REFERENCE GUIDE

## RESIDENTIAL PRODUCT SPECIFICATIONS

Bulletin No. 210958  
September 2023  
Supersedes April 2021

Use this as a guide for coil substitution if a certain coil model is not available.

### CX35 UPFLOW CASED COIL CROSS-REFERENCE

Existing Coils			Substituted By	Coil Substitutions			
Model Number	Catalog Number	Dimensions (H x W x D)		Model Number	Catalog Number	Dimensions (H x W x D)	Height Change
CX35-18/24A-6F	<b>10C41</b>	16.5 x 14.5 x 21	→	CX35-24A-6F	<b>10C43</b>	18.5 x 14.5 x 21	+2 in.
CX35-18/24B-6F	<b>10C42</b>	16.5 x 17.5 x 21	→	CX35-24B-6F	<b>10C44</b>	18.5 x 17.5 x 21	+2 in.
CX35-30/36A-6F	<b>10C49</b>	24.5 x 14.5x21	→	CX35-36A-6F	<b>10C52</b>	24.5 x 14.5 x 21	Same
CX35-30/36B-6F	<b>10C50</b>	24.5x17.5x21	→	CX35-36B-6F	<b>10C53</b>	24.5 x 17.5 x 21	Same
CX35-50/60C-6F	<b>10C57</b>	27.5x21x21	→	CX35-49C-6F	<b>10C56</b>	29.5 x 21 x 22	+2 in.

**NOTE** - If a coil is not listed, no substitution is required.

### C35 UPFLOW CASED COIL CROSS-REFERENCE

Existing Coils			Substituted By	<sup>1</sup> Coil Substitutions			
Model Number	Catalog Number	Dimensions (H x W x D)		Model Number	Catalog Number	Dimensions (H x W x D)	Height Change
C35-18/24A-6F	<b>10C61</b>	16.5 x 14.5 x 21	→	CX35-24A-6F+TXV	<b>10C43</b>	18.5 x 14.5 x 21	+2 in.
C35-18/24B-6F	<b>10C62</b>	16.5 x 17.5 x 21	→	CX35-24B-6F+TXV	<b>10C44</b>	18.5 x 17.5 x 21	+2 in.
C35-24A-6F	<b>10C63</b>	18.5 x 14.5 x 21	→	CX35-24A-6F+TXV	<b>10C43</b>	18.5 x 14.5 x 21	Same
C35-24B-6F	<b>10C64</b>	18.5 x 17.5 x 21	→	CX35-24B-6F+TXV	<b>10C44</b>	18.5 x 17.5 x 21	Same
C35-30A-6F	<b>10C67</b>	22.5 x 14.5 x 21	→	CX35-30A-6F+TXV	<b>10C47</b>	22.5 x 14.5 x 21	Same
C35-30B-6F	<b>10C68</b>	22.5 x 17.5 x 21	→	CX35-30B-6F+TXV	<b>10C48</b>	22.5 x 17.5 x 21	Same
C35-30/36A-6F	<b>10C69</b>	24.5 x 14.5 x 21	→	CX35-36A-6F+TXV	<b>10C52</b>	24.5 x 14.5 x 21	Same
C35-30/36B-6F	<b>10C70</b>	24.5 x 17.5 x 21	→	CX35-36B-6F+TXV	<b>10C53</b>	24.5 x 17.5 x 21	Same
C35-30/36C-6F	<b>10C71</b>	24.5 x 21 x 21	→	CX35-30/36C-6F+TXV	<b>10C51</b>	24.5 x 21 x 21	Same
C35-36A-6F	<b>10C72</b>	24.5 x 14.5 x 21	→	CX35-36A-6F+TXV	<b>10C52</b>	24.5 x 14.5 x 21	Same
C35-36B-6F	<b>10C73</b>	24.5 x 17.5 x 21	→	CX35-36B-6F+TXV	<b>10C53</b>	24.5 x 17.5 x 21	Same
C35-48B-6F	<b>10C74</b>	27.5 x 17.5 x 21	→	CX35-48B-6F+TXV	<b>10C54</b>	27.5 x 17.5 x 21	Same
C35-48C-6F	<b>10C75</b>	27.5 x 21 x 21	→	CX35-48C-6F+TXV	<b>10C55</b>	27.5 x 21 x 21	Same
C35-49C-6F	<b>10C77</b>	29.5 x 21 x 22	→	CX35-49C-6F+TXV	<b>10C56</b>	29.5 x 21 x 22	Same
C35-50/60C-6F	<b>10C78</b>	27.5 x 21 x 21	→	CX35-49C-6F+TXV	<b>10C56</b>	29.5 x 21 x 22	+2 in.
C35-60C-6F	<b>10C79</b>	31.5 x 21 x 22	→	CX35-60C-6F+TXV	<b>10C58</b>	31.5 x 21 x 22	Same
C35-60D-6F	<b>10C80</b>	29.5 x 24.5 x 21	→	CX35-60D-6F+TXV	<b>10C59</b>	29.5 x 24.5 x 21	Same

**NOTE** - If a coil is not listed, no substitution is required.

<sup>1</sup> CX35 includes factory installed TXV.

### C35 UPFLOW UNCASED COIL CROSS-REFERENCE

Existing Coils			Substituted By	Coil Substitutions			
Model Number	Catalog Number	Dimensions (H x W x D)		Model Number	Catalog Number	Dimensions (H x W x D)	Height Change
C35-18/24A-2	<b>16F27</b>	14.125 x 13 x 19.5	→	C35-24A-2	<b>16F29</b>	16.375 x 13 x 19.5	+2-1/4 in.
C35-18/24B-2	<b>16F28</b>	14.125 x 15.5 x 19.5	→	C35-24B-2	<b>16F30</b>	16.375 x 15.5 x 19.5	+2-1/4 in.
C35-30/36A-2	<b>16F33</b>	22.25 x 13 x 19.5	→	C35-36A-2	<b>16F37</b>	16.375 x 13 x 19.5	+ 1/8 in.
C35-30/36B-2	<b>16F35</b>	22.25 x 15.5 x 19.5	→	C35-36B-2	<b>16F39</b>	16.375 x 15.5 x 19.5	+ 1/8 in.
C35-50/60C-2	<b>16F45</b>	25.875 x 20 x 19.5	→	C35-49C-2	<b>16F44</b>	20.75 x 13 x 19.5	+2-5/8 in.

**NOTE** - If a coil is not listed, no substitution is required.

### CHX35 HORIZONTAL CASED COIL CROSS-REFERENCE

Existing Coils			Substituted By	Coil Substitutions			
Model Number	Catalog Number	Dimensions (H x W x D)		Model Number	Catalog Number	Dimensions (H x W x D)	Length Change
CHX35-18A-6F	<b>16Y02</b>	14.5 x 26.5 x 21.5	→	CHX35-24A-6F	<b>16Y03</b>	14.5 x 26.5 x 21.5	Same
CHX35-36A-6F	<b>16Y07</b>	14.5 x 26.5 x 21.5	→	CHX35-30A-6F	<b>16Y05</b>	14.5 x 31.5 x 21.5	+5 in.
CHX35-36B-6F	<b>16Y08</b>	17.5 x 26.5 x 21.5	→	CHX35-30B-6F	<b>16Y06</b>	17.5 x 26.5 x 21.5	Same
CHX35-48B-6F	<b>16Y13</b>	17.5 x 31.5 x 21.5	→	CHX35-42B-6F	<b>16Y11</b>	17.5 x 31.5 x 21.5	Same
CHX35-48C-6F	<b>16Y14</b>	21 x 26.5 x 21.5	→	CHX35-42C-6F	<b>16Y12</b>	21 x 26.5 x 21.5	Same

**NOTE** - If a coil is not listed, no substitution is required.

### CH35 HORIZONTAL CASED COIL CROSS-REFERENCE

Existing Coils			Substituted By	<sup>1</sup> Coil Substitutions			
Model Number	Catalog Number	Dimensions (H x W x D)		Model Number	Catalog Number	Dimensions (H x W x D)	Length Change
CH35-18A-2F	<b>10C26</b>	14.5 x 26.5 x 21.5	→	CHX35-24A-6F+TXV	<b>16Y03</b>	14.5 x 26.5 x 21.5	Same
CH35-24A-2F	<b>10C27</b>	14.5 x 26.5 x 21.5	→	CHX35-24A-6F+TXV	<b>16Y03</b>	14.5 x 26.5 x 21.5	Same
CH35-24B-2F	<b>10C28</b>	17.5 x 26.5 x 21.5	→	CHX35-24B-6F+TXV	<b>16Y04</b>	17.5 x 26.5 x 21.5	Same
CH35-30A-2F	<b>10C29</b>	14.5 x 31.5 x 21.5	→	CHX35-30A-6F+TXV	<b>16Y05</b>	14.5 x 31.5 x 21.5	Same
CH35-30B-2F	<b>10C30</b>	17.5 x 26.5 x 21.5	→	CHX35-30B-6F+TXV	<b>16Y06</b>	17.5 x 26.5 x 21.5	Same
CH35-36A-2F	<b>10C31</b>	14.5 x 26.5 x 21.5	→	CHX35-30A-6F+TXV	<b>16Y05</b>	14.5 x 31.5 x 21.5	+5 in.
CH35-36B-2F	<b>10C32</b>	17.5 x 26.5 x 21.5	→	CHX35-30B-6F+TXV	<b>16Y06</b>	17.5 x 26.5 x 21.5	Same
CH35-36C-2F	<b>10C33</b>	21 x 26.5 x 21.5	→	CHX35-36C-6F+TXV	<b>16Y09</b>	21 x 26.5 x 21.5	Same
CH35-42B-2F	<b>10C34</b>	17.5 x 31.5 x 21.5	→	CHX35-42B-6F+TXV	<b>16Y11</b>	17.5 x 31.5 x 21.5	Same
CH35-42C-2F	<b>10C35</b>	21 x 26.5 x 21.5	→	CHX35-42C-6F+TXV	<b>16Y12</b>	21 x 26.5 x 21.5	Same
CH35-48B-2F	<b>10C36</b>	17.5 x 31.5 x 21.5	→	CHX35-42B-6F+TXV	<b>16Y11</b>	17.5 x 31.5 x 21.5	Same
CH35-48C-2F	<b>10C37</b>	21 x 26.5 x 21.5	→	CHX35-42C-6F+TXV	<b>16Y12</b>	21 x 26.5 x 21.5	Same
CH35-51C-2F	<b>10C38</b>	21 x 31.5 x 21.5	→	CHX35-51/61C-6F+TXV	<b>16Y15</b>	21 x 31.5 x 21.5	Same
CH35-60D-2F	<b>10C39</b>	24.5 x 31.5 x 21.5	→	CHX35-60D-6F+TXV	<b>16Y16</b>	24.5 x 31.5 x 21.5	Same

**NOTE** - If a coil is not listed, no substitution is required.

<sup>1</sup> CHX35 includes factory installed TXV.

### CR33 DOWNFLOW CASED COIL CROSS-REFERENCE

Existing Coils			Substituted By	Coil Substitutions			
Model Number	Catalog Number	Dimensions (H x W x D)		Model Number	Catalog Number	Dimensions (H x W x D)	Height Change
CR33-18A-F	<b>92M30</b>	14.125 x 17.5 x 26.125	→	CR33-30/36A-F	<b>92M33</b>	16.125 x 17.5 x 26.125	+2 in.
CR33-24A-F	<b>92M31</b>	14.125 x 17.5 x 26.125	→	CR33-30/36A-F	<b>92M33</b>	16.125 x 17.5 x 26.125	+2 in.
CR33-24B-F	<b>92M32</b>	14.125 x 17.5 x 26.125	→	CR33-30/36B-F	<b>92M34</b>	16.125 x 17.5 x 26.125	+2 in.
CR33-30/36C-F	<b>92M35</b>	16.125 x 21 x 26.125	→	CR33-48C-F	<b>92M37</b>	20 x 21 x 26.125	+3-7/8 in.
CR33-60D-F	<b>92M36</b>	23.625 x 24.5 x 26.125	→	CR33-50/60C-F	<b>92M38</b>	23.625 x 24.5 x 26.125	Same

**NOTE** - If a coil is not listed, no substitution is required.

## CR33 TO CRX35 DOWNFLOW CASED COIL CROSS-REFERENCE

Old Coils			<sup>1</sup> New Coils				
Model Number	Catalog Number	Dimensions (H x W x D)	Model Number	Catalog Number	Dimensions (H x W x D)	Size Difference	Comment
CR33-18A-F	<b>92M30</b>	14.125 x 17.5 x 26.125	---	---	---	---	New Size N/A
CR33-24A-F	<b>92M31</b>	14.125 x 17.5 x 26.125	CRX35-24A-F	<b>24J36</b>	18 x 14.5 x 26.5	3 in. Narrower 0.375 in. Deeper 3.875 in. Taller	---
CR33-24B-F	<b>92M32</b>	14.125 x 17.5 x 26.125	CRX35-24B-F	<b>24J42</b>	18 x 17.5 x 26.5	0.375 in. Deeper 3.875 in. Taller	---
CR33-30/36A-F	<b>92M33</b>	16.125 x 17.5 x 26.125	---	---	---	---	New Size N/A
CR33-30/36B-F	<b>92M34</b>	16.125 x 17.5 x 26.125	CRX35-30/36B-F	<b>24J44</b>	23.5 x 17.5 x 26.5	0.375 in. Deeper 7.375 in. Taller	---
CR33-30/36C-F	<b>92M35</b>	16.125 x 21 x 26.125	CRX35-30/36C-F	<b>24J45</b>	23.5 x 21 x 26.5	0.375 in. Deeper 7.375 in. Taller	---
CR33-48B-F	<b>92M36</b>	20 x 21 x 26.125	---	---	---	---	New Size N/A
---	---	---	CRX35-42B-F	<b>24J46</b>	23.5 x 17.5 x 26.5	---	New Model
CR33-48C-F	<b>92M37</b>	20 x 21 x 26.125	CRX35-48C-F	<b>24J47</b>	27.5 x 21 x 26.5	0.375 in. Deeper 7.5 in. Taller	---
CR33-50/60C-F	<b>92M38</b>	23.625 x 24.5 x 26.125	CRX35-50/60C-F	<b>24J57</b>	27.5 x 21 x 26.5	3.5 in. Narrower 0.375 in. Deeper 3.875 in. Taller	---
CR33-60D-F	<b>92M39</b>	23.625 x 24.5 x 26.125	CRX35-60D-F	<b>24J58</b>	27.5 x 24.5 x 26.5	0.375 in. Deeper 3.875 in. Taller	---

<sup>1</sup> CRX35 includes factory installed TXV.

## REVISIONS

Sections	Description of Change
New Section	Added CR33 to CRX35 Cross-Reference.



Visit us at [www.Lennox.com](http://www.Lennox.com)

For the latest technical information, [www.LennoxPros.com](http://www.LennoxPros.com)

Contact us at 1-800-4-LENNOX

NOTE - Due to Lennox' ongoing commitment to quality, Specifications, Ratings and Dimensions subject to change without notice and without incurring liability. Improper installation, adjustment, alteration, service or maintenance can cause property damage or personal injury. Installation and service must be performed by a qualified installer and servicing agency.

©2023 Lennox Industries, Inc.