

SUBMITTAL DATA - INDOOR UNIT VVCB048H4-3P VRF Heat Pump & Heat Recovery

	For: Reference Approval Review Construction	'n
System Designation:	Date:	
Schedule No.:	Location:	
Location:	Architect:	
Job:	Engineer:	

Vertical Air Handler Ducted Indoor Unit

FEATURES

- Pre Heat Function
- · Optional Electric Heat
- Auto AddressingAuto Restart
- Electronic Expansion ValveHigh-Efficiency DC Motor
- Four Built-In Dry Contacts Relays
- Brazed Connections
- · Refrigerant R-410A
- Vertical, Horizontal-left or Horizonta-right air discharge installations
- Eight Capacity Sizes from 12,000 to 60,000 Btu/h

WARRANTY

• 10-year limited warranty.*See warranty for details.

SPECIFICATIONS		
PERFORMANCE		
Cooling Capacity1 (Btu/h)		48,000
Heating Capacity ¹ (Btu/h)		54,000
Airflow (CFM)	Low/Medium/High	1120/1360/1600
External Static Pressure (in. WC)		0~0.8
Sound Pressure (dBA)	Low/Medium/High	48.3/52.9/57.7
Vertical Install		
` ,	Low/Medium/High	44.9/49.2/53
Horizontal Install		
ELECTRICAL DATA		
Power Supply (Volts/Phase/Hertz)		208/230V-1Ph-
		60Hz
Minimum Circuit Ampacity (MCA)		5.3
Max. Overcurrent Protection (MOCF	P)	15
Cooling Power Input2 (W)		425
Cooling Rated Current (A)		3.1
Heating Power Input ² (W)		457
Heating Rated Current (A)		3.1
Indoor Fan Motor Input (W)		355(H:75Pa)
DIMENSIONS		
Unit Dimensions (in)	Height	53-3/4
	Width	22
	Depth	24
Liquid Pipe Connection (in)		3/8
Gas Pipe Connection (in)		5/8
Condensate Drain Connection (in)		3/4 NPT(I.D.)
Unit Shipping Weight (lb)		189
Unit Net Weight (lb)		163

NOTES

- Cooling and Heating capacity data is rated at the following conditions:
 - Cooling: 80°FDB / 67°FWB Indoor, 95°FDB
 - Outdoor Heating: 70°FDB Indoor, 47°FDB / 43°FWB Outdoor.
- 2. Power Input values are rated at high fan speed.



ELECTRIC HEATER	
5 kW (V8EH0050P-1P)	
7.5 kW (V8EH0080P-1P)	
Non-Programmable Controller	V0STAT54P-3
Programmable Wired Controller	V0STAT51P-3
Infrared Wireless Controller	V0STAT52P-1
Occupancy Sensor	V0SNSR78P-3
Hotel Keycard Interface	V0CTRL88P-1
HHE Relay Kit	V0CTRL92P-3
Condensate Pumps (Reference Condensate Pump Selection Guide)	-







SUBMITTAL DATA - INDOOR UNIT VVCB048H4-3P

VRF Heat Pump & Heat Recovery

DIMENSIONAL DRAWINGS - INCHES (MM)

